


This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	CH'D BOX END WRENCH FROM Ø.53 TO Ø.560 AND RADIUS FROM R.13 TO R.25 PER G.E.	2/10/10	RJC	GE
2	ADDED HANDLE, ROLL PIN, HOLE FOR ROLL PIN, AND CUT OPEN END WRENCH SIDE OFF.	2/16/10	WP	GE
2A	CH'D -1 BOM INFORMATION FROM APPLIED OR SEARS TO NAPA PER R.W. ADDED ENGRAVE NOTE.	2/18/10	RJC	RW

SEE ATTACHED DEVIATION




UNDER REVIEW

URF 19-932 19.10.23 (VM)

ASSY QTY	ASSY QTY	B/O	PART #	UNIT QTY	DESCRIPTION	MATERIAL	B/O INFORMATION OR SPECIFICATIONS	UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	TOLERANCES ON:	DECIMALS	FRACTIONS ± 1/32	ANGLES ± 5°	DRAWN BY: PERRITT	APPROVED <i>D Weil</i>	HEAT TREAT	FINISH SPEC	USED ON MODEL	ROLLS ROYCE
			-1	1	5/16 SAE COMBINATION WRATCHETING WRENCH	STEEL	NAPA (GEAR WRENCH #9010)		.XXX ± .005									
			-3	1	HANDLE	304 S. S.	Ø5/16 x 6-1/2		.XX ± .01									
			-5	1	ROLL PIN	STEEL	Ø3/32 x 5/16		.X ± .1									
	ASSY #																	
								UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING				SCALE NTS	DATE 1-18-09	SHEET 1 of 2				

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.


REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	CH'D BOX END WRENCH FROM Ø.53 TO Ø.560 AND RADIUS FROM R.13 TO R.25 PER G.E.	2/10/10	RJC	GE
2	ADDED HANDLE, ROLL PIN, HOLE FOR ROLL PIN, AND CUT OPEN END WRENCH SIDE OFF.	2/16/10	WP	GE
2A	CH'D -1 BOM INFORMATION FROM APPLIED OR SEARS TO NAPA PER R.W. ADDED ENGRAVE NOTE.	2/18/10	RJC	RW



UNDER REVIEW

URF 19-932 19.10.23 (VM)

SEE ATTACHED DEVIATION



RED BARN MACHINE			
TITLE FUEL CONTROL WRENCH			
DWG NO. RBT18718		REV 2A	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES		DRAWN BY: PERRITT	
TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 X ± .1		APPROVED <i>D Weil</i>	
FRACTIONS ± 1/32 ANGLES ± 5°		HEAT TREAT FINISH SPEC	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		USED ON MODEL	
SCALE NTS		DATE 1-18-09	
SHEET 2 of 2		ROLLS ROYCE	

NCR No.

Route update only

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev J